# **Reset Plus®**

Paracetamol BP 500 mg & Caffeine BP 65 mg tablet

#### Presentation

Reset Plus ": Each tablet contains Paracetamol BP 500 mg & Caffeine BP 65 mg.

#### Description

Reset Plus (Paracetamol & Caffeine) is a fast acting and safe analgesic with marked antipyretic property. It is specially suitable for patients who, for any reason, can not tolerate aspirin or other analgesics. The presence of Caffeine increases the effectiveness of Paracetamol.

## Indications

The indications of Reset Plus are as follows

- Headache
- Migraine
  Neuralgia
- ToothacheFeverishness
- Period pain
- Backache
- Sore throatHelps reduce temperature
- Aches and pain of colds and flu

## Dosage and Administration

Adult: 1 - 2 tablets every 4 to 6 hours. Maximum dose 4 gm (8 tablets) daily.

## Side effects

Side effects of paracetamol are usually mild, though haematological reactions including thrombocytopenia, leukopenia, pancytopenia, neutropenia, and agranulocytosis have been reported. Pancreatitis, skin rashes, and other allergic reactions occur occasionally.

#### Precautions

Paracetamol & Caffeine should be given cautiously in the following cases: In patients with hepatic or renal failure, in patients taking other hepatotoxic medication. Prolonged use of the drug without consulting a physician should be avoided.

#### Contraindications

Paracetamol is contraindicated in patients with severe renal function impairment and hepatic disease (Viral Hepatitis). Known hypersensitivity to paracetamol or caffeine.

#### Use in pregnancy and lactation

Pregnant mothers should consult with doctors before taking Paracetamol & Caffeine. Paracetamol & Caffeine can be taken whilst breast feeding.

#### **Drug Interactions**

Paracetamol & Caffeine increase the effect of Chloramphenicol and Coumarin anti-coagulant. Risk of hepatotoxicity of paracetamol may be increased in alcoholics or in patients taking other anti-epileptic medications.

# Overdosage

Symptoms of Paracetamol overdose in the first 24 hours are pallor, nausea, vomiting, anorexia and abdominal pain. Liver damage may become apparent 12 to 40 hours after ingestion. Abnormalities of glucose metabolism and metabolic acidosis may occur.

## Commercial Pack

Reset Plus": Box containing 10 blister strips of 10 tablets.

Manufactured by

Incepta

# Incepta Pharmaceuticals Ltd.

Dhaka, Bangladesh Registered Trademark PTG : 603/280507/25000 PTM I RSP