

Razinmax Vet

Piperazine Citrate 100% powder

Presentation

Razinmax Vet: Each gram powder contains Piperazine Citrate USP 1000 mg.

Descriptions

Razinmax Vet is an anthelmintic with activity against nematodes (Round worm). It closes neuromuscular transmission. As a result parasite suffers from flaccid paralysis and dies.

Indications

Razinmax Vet is used in infestations produced by nematode sensitive to Piperazine eg. Ascaris, Oxyuris, Strongyloides & Trichuris of poultry, cattle, buffaloes, horse, goat, sheep and dog.

Dosage & Administration

2 days 250-500 mg/kg body weight or use 10 gm powder in 6-8 litter of drinking or 10 gm/3.5 kg feed for 100 chicken (4-6 weeks) or 50-60 pullet or 20-30 layers.

25-50 gm/100 kg body weight

4-8 gm/10 kg body weight

1-2.5 gm/10 kg body weight. Poultry

Cattle, Buffalo & Horse

Sheep & Goat

Dog & Cat

Duration Dosage Species

or as directed by the registered Veterinarian

Side Effects

Razinmax Vet is very safe. However, emesis and softening of the feces may be reported.

Precautions

Water supply should be off for 12 hours before using the drug.

Contraindications

- Hypersensitivity to any active ingredients.
- Chronic liver or kidney insufficiency

#### Use in pregnancy & Lactation

Sufficient clinical data is not available.

#### Drug Interaction

The sufficient clinical data is not found.

#### Overdose

Overdosage may cause diarrhea, abdominal pain and neurotoxicity.

#### Withdrawal Period

Meat & Eggs : 2 days

Milk : Not required

#### Storage

Protect from light & keep in a cool and dry place. Keep out of reach of children.

#### Commercial Packaging

Razinmax Vet 100 gm: Each container contains 100 gm powder in a sachet.

Razinmax Vet 500 gm: Each container contains 500 gm powder in a sachet.